

Scoring & Timing Solution for Weightlifting




1. Introduction

This is a professional solution for LED scoreboard display in weightlifting competition. The system functions conform to IWF rules.


Match arrangement, real-time scoring & timing display, players' & referees' info display, rank statistics export & print, slow motion video record & playback, and advertising display can be realized through the coordination of Match Scoring System, Meet Management System, Video Arbitration System, etc.



1.1 System Chart



Training:



System Description

- 1) One or two LED displays are installed on both sides of the gymnasium to display the score, team and player information.
- 2) Ultra score Software of weightlifting is installed on the control computer.
- 3) The Scoring & Timing Host (KS-MONSTER) is connected to PC running Ultra score software by network cable.
- 4) The Referee Controller (KS-WL-RC10) and the Jury Controller (KS-WL- RC10) are connected to the Scoring & Timing Host (KS-MONSTER) through a special cable.
- 5) The Weightlifting Timer (KS-WL-CD10) is connected to the Scoring & Timing Host (KS-MONSTER) through four core cable.

1.2 Product Configuration (for one court)

Product	Model	Number			
Match Scoring System					
Ultra Score Software	Standalone Edition	1			
Score Display Software	SCB VIEWER	1			
Scoring & Timing Host	KS-MONSTER	1			
Main Jury Controller	KS-RETM	1			
Jury Monitor	KS-WL-MC10	1			
Referee Controller	KS-WL-RC10/B	3			
Jury Controller	KS-WL-RC10/G	5			
Weightlifting Timer	KS-WL-CD10	1			
Monster Hub	KS-MONSTER-HUB	1			
Electronic Buzzer	KS-BUZR/D	1			
Match Timing Display	KS-SCRN-7SEGMENT	2			
Meet Management Server	KS-MMS-MINI	1			
Video Arbitration System					
Video Arbitration Server	KS-PARROT-2C	1			
Control Panel	KS-PARROT-CP	1			
HD Camera	KS-PARROT-CAMERA	2			
Tripod for HD Camera	TRIPOD STANDARD	2			
SDI Cable	50m	2			





2. Specification for products

2.1 Ultra Score Software

Products	Details
Standalone edition	 Installed on one PC. Supports: Weightlifting English version Including 1 dongle
Network standard edition	 ◆ Terminal + 1 Display ◆ Supports: Weightlifting ◆ English version ◆ Including 1 dongle
Network professional edition	 Terminal + Referee + 2 Display Supports: Weightlifting English version Including 1 dongle

Difference:

Standalone Edition:

Match management, Scoring, and Media display functions, all in one installed on a PC. Referee must do operation on the PC for display directly.

It is suitable for the stadium where has just one screen, which doesn't have strict needs of the scoring and timing accuracy.

Network Standard Edition:

Score terminal and media player functions can be installed on 2 PCs respectively. So that one independent PC can be setup on the courtside special for referee's operation, the other PC running as media player to manage the LED display.

It is suitable for the stadium where has one screen, needs to do the scoring and timing on the courtside.

Network Professional Edition:

Except the function of score terminal, 1-3 media players can be equipped on PCs separately, in order to display different contents on several LED screens.

It is suitable for the stadium where has more than 2 screens where referee need to do scoring on the courtside and LED screens need to display different contents separately. (For example, one LED screen is for scoreboard and another is for advertising or player info).



Kazo Vision

Scoring interface for weightlifting:



2.2 Score Display Software

Products	Details
Score Display Software	 Model: SCB VIEWER ♦ In multi-court mode, used to display the information of the score, players and set for each court. ♦ Output: Adjustable ♦ Output score display to one LCD monitor. ♦ Screen will be updated in real time based on the referee's operation.

		Men'	s 65KG			Sna	atch				Clea	njerk				
No.	Athlete	e	Team	Birth Date	1	2	3	Score	Rank	1	2	3	Score	Rank	Total	Rank
1	Eason		Japan			138	140	140	2	202	203	205	210	2	350	1
3	Alex		France		134	136	140	140	3	202	206	208	208	3	348	2
2	Jackso	n	Thailand			138	141	141	1		204	206	206	1	347	3
4	Mu		Mexico		138		139	139	4	206		208	208	4	347	4
9	Kansa	5	Chile			136	139	139	5	206	208	208	208	5	347	5
7	FAW		Korea		136		138	138	6	204	206	208	208	6	346	6
5	Eric		England		132	134	136	136	8	202	204	208	208	8	344	8
13	Ethan		Italy		134	135	136	136	9		206	208	206	9	342	8
6	Jacket		India				137	137	7	202		204	204	7	341	9
11	Max		Germany			135	135	135	10			205	205	10	340	10
8	David		Malaysia			134	134	134	12	200	204	206	206	12	340	11
12	Paul		Australia			132	134	134	11	200	204	205	205	11	339	12
10	Humai	١)	Australia		130	132	132	132	13	202		204	204	13	336	13
V	orld Ad	lult Re	ecord	World Ad	lult Re	ecord		V	orld /	Adult	Reco	ord				
Sna	itch	Eric	169	Snatch	Eric	16	9	Sna	atch	E	ric	169				Ш
Cle	anjerk	Eric	198	Cleanjerk	Eric	19	8	Cle	anjerl	k Ei	ric	198			-	П
Tot	al	Eric	367	Total	Eric	36	57	Tot	al	E	ric	367				



2.3 Scoring & Timing Host

Product	Detail			
	Model: KS-MONSTER			
Scoring & Timing Host	Size: 260x280x80(mm)			
Scoring & Tilling Host	◆ Support: Weightlifting			
	 Support connecting with Weightlifting equipment. 			
	◆ The handle can adjust the time.			





2.4 Main Jury Controller


Product	Detail					
	Size: 281*173*39mm					
	OS: WIN10					
	Touch LCD: 11.6 inch					
	Resolution: 1920*1080					
	RAM: 8GB					
	Hard Disk: SSD 180G					
	Interfaces: USB3.0*4, USB2.0*2, LAN (RJ45) network port*1, RS232					
	DB-9 serial port*1, DC-19v power interface*1, 3.5mm audio output					
	interface*1, HDMI HD output interface*1, TF memory card slot*1					
Main Ivan Controllor	Material: PVC+Metal					
Main Jury Controller	Resolution: 1920*1080					
	Communication: LAN / WLAN					
	Video Output: HDMI*1					
	Battery: No Built-in Battery					
	Function:					
	◆ Support: Weightlifting					
	◆ Monitor the scores of judges on the court in real time.					
	 Modify or remind the unreasonable grades. 					
	• Achieve the overall control of the display score.					
	♦ View the current real-time ranking info.					






2.5 Jury Monitor

Product	Detail
	Model: KS-WL-MC10
	Size: 275x210x65(mm)
Jury Monitor	◆ Support: Weightlifting
	 Support connecting with Timing & Scoring Host.
	◆ To remind the referee of scoring errors.




2.6 Referee Controller

Product	Detail			
	Model: KS-WL-RC10/B			
	Size: 140x120x30(mm)			
	◆ Support: Weightlifting			
Defense Controller	◆ Cabinet: Plastic.			
Referee Controller	◆ Should be used with Scoring & Timing Host.			
	◆ The referee ruled.			
	◆ The judgment can be changed within 2 seconds after the			
	judgment.			



2.7 Jury Controller

Product	Detail
	Model: KS-WL-RC10/G Size: 140x120x30(mm)
Jury Controller	 ◆ Support: Weightlifting ◆ Cabinet: Plastic. ◆ Should be used with Scoring & Timing Host.
	◆ The referee ruled.◆ The judgment can be changed within 2 seconds after the judgment.



2.8 Weightlifting Timer

Product	Detail
Weightlifting Timer	 Model: KS-WL-CD10 Size: 650x650x510(mm) ◆ Support: Weightlifting ◆ Cabinet: Iron ◆ Display the match timer. ◆ Display white or red light according to the operation of judges. ◆ The lamp is magnetically attached to the top of the timer. It rings once every minute and 30 seconds, once at 30 seconds, and once when the time returns to zero.






2.9 Monster Hub

Product	Detail
Monster Hub	Model: KS-MONSTER-HUB Size: 179x136x43.9(mm)



2.10 Electronic Buzzer

Product	Detail					
	Model: KS-BUZR					
	Size: 200x150x150 (mm)					
	Input voltage: AC 110-240V					
	Power: 35W					
	Buzzer: 110dB					
Electronic Buzzer	Color: Black					
	Weight: 1KG					
	Functions:					
	◆ The host can support 2 controllers.					
	◆ With sound and light prompt functions at the same time.					
	 Buzzer for tips as the competition required. 					



2.11 Match Timing Display

Product	Detail
Match Timing Display	Model: KS-SCRN-7SEGMENT
	Size: 620x190x45(mm)
	Weight: 0.6 KG
	Color: Yellow
	Communication: RJ45 network cable
	Functions:
	◆ Used with Ultra Score.
	 Synchronously display the match timing and countdown.



2.12 Meet Management Server





2.13 Video Arbitration Server

Products	Details
	Model: KS-PARROT-2C/4C/6C/8C
	Video Input: 2/4/6/8 channels input synchronously;
	Input port: SDI;
Video Arbitration	Output port: DP*2;
Server	Video Format: 1080P;
	Recording capacity: ≥ 10 hours;
	Multi-screen monitoring: supported;
	Weight: 8kg.



Software interface



Device Specification



Model	KS-PARROT-2C/4C/6C/8C
Size	485x480×90(mm)
Net Weight	8 KG
Color	Black
Cabinet	Iron
Interface	
Input	SDI*2/4/6/8
Output	DP*2
Environmental	
Operating Temp	-5°C∼45°C
Storage Temp	-40°C∼80°C
Relative Humidity	5% \sim 95%, non-condensing
Input Voltage	AC 100V~240V
Functions	

- Nonstop video recording in the background: 2/4/6/8 channels of HD video are recorded simultaneously in the background, nonstop for 10 hours. Video retrieval and playback is unaffected.
- Synch-playback of multi-channel video: Supports playback mode of single channel video in full screen and multi-angle video in 2/4/6/8 windows.
- Speed change in slow motion: support 50 frame/s video playback and capture motion in a grid of 0.02s.
- Video event query: video stream can be divided into several video events, storing in the event list, which can be renamed for retrieve easily.
- Video segment marker: Important or controversial moments can be marked in video stream
 which will be replayed quickly when clicking the marked records.
- Video signal output: provides 2 video output signals, one of which is for preview, the other
 of which can be connected to LED/LCD display for live slow motion replay.



2.6 Control Panel

Products	Details
Control Panel	Model: KS-PARROT-CP
	Function:
	 Support one touch replay, deferred replay, in/out replay.
	Preset speed button.
	◆ T-Bar for dynamic slow motion.
	 Professional dynamic jog wheel.
	◆ Key to mark the last 10s/20s of the video content.
	◆ Flexible select the marked video and playback.



Device Specification

Model	KS-PARROT-CP
Size	365 x 200 x 98 (mm)
Net Weight	1 KG
Cabinet	Iron
Display	Color LCD(4.3Inch)
Sound	None
Communication	
USB	≤5m
RS232	≤10m
Environmental	
Operating Temp	-5~45°C
Relative Humidity	5~95 %, non-condensing
Storage Temp	-40~80°C
Input Voltage	AC 100V-240V
Total Power	15W

2.7 HD Camera

Products	Details
HD Camera	Model: KS-PARROT-CAMERA



Device Specification

Product Model	KS-PARROT-CAMERA
Video output	3G-SDI
Effective pixels	3.0 million
Max Resolution	1920*1080
Max Frame rate	60FPS
Sensor	CMOS
Focal length	4.2MM
Size	62.5*50*50MM